

# Elan Valley II Plus

## Overview

Feature	Description
Collection	Residence
Style	Elan Valley II Plus (C2094)
Product Type	LVT
Size	6" X 48"
Construction	Flexible LVT
Gauge	2 mm (0.079 in)
Total Thickness	2 mm (0.079 in)
Wear Layer	12 mil (0.3 mm)
Finish	Enhanced Urethane
Surface Profile	Embossed
Installation	Glue Down
Installation Method	Brick Ashlar, Half Lap, Herringbone, Random
Recommended Adhesive	M95.0, M99, M700 Plus, or Total Bond Adhesive




## Recommended Installation Methods



Brick Ashlar



Half Lap



Herringbone



Random

## Colorways



### Morning Mist

Color code: 16  
Style number: C2094



### Aurora

Color code: 222  
Style number: C2094



### Daybreak

Color code: 232  
Style number: C2094



### Alba

Color code: 711  
Style number: C2094



### Dusk

Color code: 838  
Style number: C2094



### Morrow

Color code: 848  
Style number: C2094

## Colorways



### Dagny

Color code: 868  
Style number: C2094



### Lark

Color code: 878  
Style number: C2094

## Testing

Feature	Description
Classification	(ASTM F1700) Class III, Type B, Embossed
Squareness	(ASTM F2421) Passes
Size and Tolerance	(ASTM F2421) Passes
Thickness	(ASTM F386) ± .005 in
Flexibility	(ASTM F137) Passes
Dimensional Stability	(ASTM F2199) Passes
Static Load Limit	(ASTM F970) 1000 psi
Residual Indentation	(ASTM F1914) Passes
Resistance to Chemicals	(ASTM F925) Passes
Resistance to Light	(ASTM F1515) Passes
Resistance to Heat	(ASTM F1514) Passes
Radiant Flux	(ASTM E648) Class 1
Smoke Density	(ASTM E662) 450
Wear Layer Thickness	12 mil (0.3 mm)
Lightfastness	(ASTM F1515) Passes

## Sustainability

Feature	Description
Embodied Carbon	11.9 kg CO2e/sq m2
Carbon Handprint	-12.5 kg CO2e/sq m2
Beyond Carbon Neutral	-0.595

## Packaging

Feature	Description
Pieces per Carton	27
Weight per Piece	1.59
Cartons Per Pallet	54
Square Feet per Carton	54
Weight per Carton	42.93

# Warranties

---

Limited 10 Year Light Commercial Warranty, Elan Valley Limited Warranty